

Measuring Quality of Life after Venous Thromboembolism: Who, When, and How?

Mazdak Tavoly, Elia Asady, Hilde Skuterud Wik, Waleed Ghanima

> Author Affiliations

> Further Information

Abstract

Full Text (/products/ejournals/html/10.1055/s-0042-1754390)

References

References

- 1 Gibbons C, Porter I, Gonçalves-Bradley DC. et al. Routine provision of feedback from patient-reported outcome measurements to healthcare providers and patients in clinical practice (/products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-1). *Cochrane Database Syst Rev* 2021; 10 (10) CD011589 (<https://www.cochrane.org/CD011589>).
- 2 Barco S, Valerio L, Ageno W. et al. Age-sex specific pulmonary embolism-related mortality in the USA and Canada, 2000-18: an analysis of the WHO Mortality Database and of the CDC Multiple Cause of Death database (/products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-2). *Lancet Respir Med* 2021; 9 (01) 33-42
- 3 Sonne-Holm E, Kjærgaard J, Bang LE, Fosbøl E, Carlsen J, Winther-Jensen M. Pulmonary embolism: age specific temporal trends in incidence and mortality in Denmark 1999-2018 (/products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-3). *Thromb Res* 2022; 210: 12-19
- 4 Kahn SR, Hirsch A, Shrier I. Effect of postthrombotic syndrome on health-related quality of life after deep venous thrombosis (/products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-4). *Arch Intern Med* 2002; 162 (10) 1144-1148
- 5 Sista AK, Klok FA. Late outcomes of pulmonary embolism: the post-PE syndrome (/products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-5). *Thromb Res* 2018; 164: 157-162
- 6 Tavoly M, Wik HS, Sirnes PA. et al. The impact of post-pulmonary embolism syndrome and its possible determinants (/products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-6). *Thromb Res* 2018; 171: 84-91
- 7 Nguyen H, Butow P, Dhillon H, Sundaresan P. A review of the barriers to using patient-reported outcomes (PROs) and patient-reported outcome measures (PROMs) in routine cancer care (/products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-7). *J Med Radiat Sci* 2021; 68 (02) 186-195
- 8 Ghanima W, Wik HS, Tavoly M, Enden T, Jelsness-Jørgensen LP. Late consequences of venous thromboembolism: measuring quality of life after deep vein thrombosis and pulmonary embolism (/products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-8). *Thromb Res* 2018; 164 (C): 170-176
- 9 Asady E, Ghanima W, Jelsness-Jørgensen LP. et al. Health-related quality-of-life questionnaires for deep vein thrombosis and pulmonary embolism: a systematic review on questionnaire development and methodology (/products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-9). *Res Pract Thromb Haemost* 2021; 5 (05) e12556
- 10 Rumsfeld JS, Alexander KP, Goff Jr DC. et al; American Heart Association Council on Quality of Care and Outcomes Research, Council on Cardiovascular and Stroke Nursing, Council on Epidemiology and Prevention, Council on Peripheral Vascular Disease, and Stroke Council. Cardiovascular health: the importance of measuring patient-reported health status: a scientific statement from the American Heart Association (/products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-10). *Circulation* 2013; 127 (22) 2233-2249
- 11 Basch E, Deal AM, Dueck AC. et al. Overall survival results of a trial assessing patient-reported outcomes for symptom monitoring during routine cancer treatment (/products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-11). *JAMA* 2017; 318 (02) 197-198
- 12 Basch E, Deal AM, Kris MG. et al. Symptom monitoring with patient-reported outcomes during routine cancer treatment: a randomized controlled trial (/products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-12). *J Clin Oncol* 2016; 34 (06) 557-565
- 13 Calvert M, Kyte D, Price G, Valderas JM, Hjollund NH. Maximising the impact of patient reported outcome assessment for patients and society (/products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-13). *BMJ* 2019; 364: k5267
- 14 Brooks R. EuroQol: the current state of play (/products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-14). *Health Policy* 1996; 37 (01) 53-72
- 15 Ware Jr JE, Sherbourne CD. The MOS 36-item short-form health survey (SF-36). I. Conceptual framework and item selection (/products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-15). *Med Care* 1992; 30 (06) 473-483
- 16 Kahn SR, Lamping DL, Ducruet T. et al; VETO Study investigators. VEINES-QOL/Sym questionnaire was a reliable and valid disease-specific quality of life measure for deep venous thrombosis (/products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-16). *J Clin Epidemiol* 2006; 59 (10) 1049-1056
- 17 Launois R, Reboul-Marty J, Henry B. Construction and validation of a quality of life questionnaire in chronic lower limb venous insufficiency (CIVIQ) (/products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-17). *Qual Life Res* 1996; 5 (06) 539-554

- 18** Launois R. Health-related quality-of-life scales specific for chronic venous disorders of the lower limbs (</products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-18>). *J Vasc Surg Venous Lymphat Disord* 2015; 3 (02) 219-27 .e1, 3
- 19** CIVIQ users' guide.. CIVIQ users' guide (</products/ejournals/linkout/10.1055/s-0042-1754390/id/OR03011-19>). Accessed April 1, 2022 at: <https://www.civiq-20.com/> (<https://www.civiq-20.com/>)
- 20** Klok FA, Cohn DM, Middeldorp S. et al. Quality of life after pulmonary embolism: validation of the PEmb-QoL Questionnaire (</products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-20>). *J Thromb Haemost* 2010; 8 (03) 523-532
- 21** Akaberi A, Klok FA, Cohn DM, Hirsch A, Granton J, Kahn SR. Determining the minimal clinically important difference for the PEmbQoL questionnaire, a measure of pulmonary embolism-specific quality of life (</products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-21>). *J Thromb Haemost* 2018; 16 (12) 2454-2461
- 22** Kahn SR, Kearon C, Julian JA. et al; Extended Low-intensity Anticoagulation for Thrombo-embolism (ELATE) Investigators. Predictors of the post-thrombotic syndrome during long-term treatment of proximal deep vein thrombosis (</products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-22>). *J Thromb Haemost* 2005; 3 (04) 718-723
- 23** Utne KK, Tavoly M, Wik HS. et al. Health-related quality of life after deep vein thrombosis (</products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-23>). Springerplus 2016; 5 (01) 1278
- 24** Kahn SR, Shbaklo H, Lamping DL. et al. Determinants of health-related quality of life during the 2 years following deep vein thrombosis (</products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-24>). *J Thromb Haemost* 2008; 6 (07) 1105-1112
- 25** Klok FA, van Kralingen KW, van Dijk APJ. et al. Quality of life in long-term survivors of acute pulmonary embolism (</products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-25>). *Chest* 2010; 138 (06) 1432-1440
- 26** Tavoly M, Utne KK, Jelsness-Jørgensen LP. et al. Health-related quality of life after pulmonary embolism: a cross-sectional study (</products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-26>). *BMJ Open* 2016; 6 (11) e013086
- 27** Chuang LH, Gumbs P, van Hout B. et al. Health-related quality of life and mortality in patients with pulmonary embolism: a prospective cohort study in seven European countries (</products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-27>). *Qual Life Res* 2019; 28 (08) 2111-2124
- 28** Kahn SR, Akaberi A, Granton JT. et al. Quality of life, dyspnea, and functional exercise capacity following a first episode of pulmonary embolism: results of the ELOPE cohort study (</products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-28>). *Am J Med* 2017; 130 (08) 990.e9-990 .e21
- 29** Valerio L, Barco S, Jankowski M. et al. Quality of life 3 and 12 months following acute pulmonary embolism: analysis from a prospective multicenter cohort study (</products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-29>). *Chest* 2021; 159 (06) 2428-2438
- 30** Barco S, Schmidtman I, Ageno W. et al; HoT-PE Investigators; HoT-PE Trial Investigators. Survival and quality of life after early discharge in low-risk pulmonary embolism (</products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-30>). *Eur Respir J* 2021; 57 (02) 2002368
- 31** Janssen MF, Szende A, Cabases J, Ramos-Goñi JM, Vilagut G, König HH. Population norms for the EQ-5D-3L: a cross-country analysis of population surveys for 20 countries (</products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-31>). *Eur J Health Econ* 2019; 20 (02) 205-216
- 32** Højen AA, Gorst-Rasmussen A, Lip GYH. et al. Use of psychotropic drugs following venous thromboembolism in youth. A nationwide cohort study (</products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-32>). *Thromb Res* 2015; 135 (04) 643-647
- 33** Kahn SR, Ducruet T, Lamping DL. et al. Prospective evaluation of health-related quality of life in patients with deep venous thrombosis (</products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-33>). *Arch Intern Med* 2005; 165 (10) 1173-1178
- 34** Kahn SR. The post-thrombotic syndrome (</products/ejournals/linkout/10.1055/s-0042-1754390/id/OR03011-34>). Published online 2016:6
- 35** van Es J, den Exter PL, Kaptein AA. et al. Quality of life after pulmonary embolism as assessed with SF-36 and PEmb-QoL (</products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-35>). *Hematology Am Soc Hematol Educ Program* 2016; Dec 2; 2016 (01) 413-418
- 36** Lukas PS, Krummenacher R, Biasiutti FD, Bègré S, Znoj H, von Känel R. Association of fatigue and psychological distress with quality of life in patients with a previous venous thromboembolic event (</products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-36>). *Thromb Haemost* 2009; 102 (06) 1219-1226
- 37** Giustozzi M, Valerio L, Agnelli G. et al. Sex-specific differences in the presentation, clinical course, and quality of life of patients with acute venous thromboembolism according to baseline risk factors. Insights from the PREFER in VTE (</products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-37>). *Eur J Intern Med* 2021; 88: 43-51
- 38** Hunter R, Lewis S, Noble S, Rance J, Bennett PD. "Post-thrombotic panic syndrome": a thematic analysis of the experience of venous thromboembolism (</products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-38>). *Br J Health Psychol* 2017; 22 (01) 8-25
- 39** Rochat M, Méan M, Limacher A. et al. Quality of life after pulmonary embolism: validation of the French version of the PEmb-QoL questionnaire (</products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-39>). *Health Qual Life Outcomes* 2014; 12: 174

- 40** Keller K, Tesche C, Gerhold-Ay A. et al. Quality of life and functional limitations after pulmonary embolism and its prognostic relevance (</products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-40>). J Thromb Haemost 2019; 17 (11) 1923-1934
- 41** Tavoly M, Jelsness-Jørgensen LP, Wik HS, Roaldsnes C, Sandset PM, Ghanima W. Quality of life after pulmonary embolism: first cross-cultural evaluation of the pulmonary embolism quality-of-life (PEmb-QoL) questionnaire in a Norwegian cohort (</products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-41>). Qual Life Res 2015; 24 (02) 417-425
- 42** Rolving N, Brocki BC, Andreassen J. Coping with everyday life and physical activity in the aftermath of an acute pulmonary embolism: a qualitative study exploring patients' perceptions and coping strategies (</products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-42>). Thromb Res 2019; 182: 185-191
- 43** Kahn SR, Partsch H, Vedantham S, Prandoni P, Kearon C. Subcommittee on Control of Anticoagulation of the Scientific and Standardization Committee of the International Society on Thrombosis and Haemostasis. Definition of post-thrombotic syndrome of the leg for use in clinical investigations: a recommendation for standardization (</products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-43>). J Thromb Haemost 2009; 7 (05) 879-883
- 44** Ambrosetti M, Abreu A, Corra U. et al. Secondary prevention through comprehensive cardiovascular rehabilitation: from knowledge to implementation. 2020 update. A position paper from the Secondary Prevention and Rehabilitation Section of the European Association of Preventive Cardiology (</products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-44>). Eur J Prev Control 2020; . (e-pub ahead of print). DOI: [10.1177/2047487320913379](https://doi.org/10.1177/2047487320913379) (<https://doi.org/10.1177/2047487320913379>).
- 45** Rolving N, Brocki BC, Bloch-Nielsen JR. et al. Effect of a physiotherapist-guided home-based exercise intervention on physical capacity and patient-reported outcomes among patients with acute pulmonary embolism: a randomized clinical trial (</products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-45>). JAMA Netw Open 2020; 3 (02) e200064
- 46** Haukeland-Parker S, Jervan Ø, Johannessen HH. et al. Pulmonary rehabilitation to improve physical capacity, dyspnea, and quality of life following pulmonary embolism (the PeRehab study): study protocol for a two-center randomized controlled trial (</products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-46>). Trials 2021; 22 (01) 22
- 47** Launois R, Le Moine JG, Lozano FS, Mansilha A. Construction and international validation of CIVIQ-14 (a short form of CIVIQ-20), a new questionnaire with a stable factorial structure (</products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-47>). Qual Life Res 2012; 21 (06) 1051-1058
- 48** Chan EKH, Edwards TC, Haywood K, Mikles SP, Newton L. Implementing patient-reported outcome measures in clinical practice: a companion guide to the ISOQOL user's guide (</products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-48>). Qual Life Res 2019; 28 (03) 621-627
- 49** Boon GJAM, Barco S, Bertoletti L. et al. Measuring functional limitations after venous thromboembolism: optimization of the Post-VTE Functional Status (PVFS) Scale (</products/ejournals/linkout/10.1055/s-0042-1754390/id/JR03011-49>). Thromb Res 2020; 190: 45-51